

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	(laser near (irraditing or drilling or drill or irradiate or irradiated)) and (hole or via)	USOCR	OR	ON	2005/07/17 13:23
L2	0	219/121/71.ccls.	USOCR	OR	ON	2005/07/17 12:58
L3	9	219/121.71.ccls.	USOCR	OR	ON	2005/07/17 13:24
L4	7	219/121.7.ccls.	USOCR	OR	ON	2005/07/17 13:24
L5	32	219/121.73.ccls.	USOCR	OR	ON	2005/07/17 13:23
L6	43	219/121.85.ccls.	USOCR	OR	ON	2005/07/17 13:24
L7	87	219/121.6.ccls.	USOCR	OR	ON	2005/07/17 13:25
L8	15	l5 and (laser and (hole or via))	USOCR	OR	ON	2005/07/17 13:33
L9	18	l6 and (laser and (hole or via))	USOCR	OR	ON	2005/07/17 13:17
L10	30	l7 and (laser and (hole or via))	USOCR	OR	ON	2005/07/17 13:18
L11	16481	(laser near (irraditing or drilling or drill or irradiate or irradiated)) and (hole or via)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 13:48
L12	420	219/121.73.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/17 13:23
L13	536	219/121.71.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/17 13:24
L14	997	219/121.85.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/17 13:24
L15	438	219/121.7.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/17 13:24
L16	854	219/121.6.ccls.	US-PGPUB; USPAT	OR	ON	2005/07/17 13:25
L17	164	l11 and ((hole or via) near (angle or slant or incline or inclination or angled or slanted))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 13:34
L18	38	l17 and (board or pwd or pcb or (printed near (circuit or board)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 13:27
L19	259	l12 and (laser and (hole or via))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:34
L20	1	l19 and ((hole or via) near (angle or slant or incline or inclination or angled or slanted))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:35
L21	474	l13 and (laser and (hole or via))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:44

L22	20	I21 and ((hole or via) near (angle or slant or incline or inclination or angled or slanted))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:44
L23	499	I14 and (laser and (hole or via))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:45
L24	2	I23 and ((hole or via) near (angle or slant or incline or inclination or angled or slanted))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:45
L25	384	I15 and (laser and (hole or via))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:47
L26	8	I25 and ((hole or via) near (angle or slant or incline or inclination or angled or slanted))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:48
L27	444	I16 and (laser and (hole or via))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:47
L28	2	I27 and ((hole or via) near (angle or slant or incline or inclination or angled or slanted))	US-PGPUB; USPAT	OR	ON	2005/07/17 13:48
L29	28	(laser near (irradiating or drilling or drill or irradiate or irradiated)) and ((laser or beam) near (angle or inclination or slant or incline or slanted or angled)) and mirror and mask and ((stage or platform or holder or carrier) near (motion or (xyz) or traverse or movable))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 13:57
L30	14	I12 and (laser near (drill or drilling)) and mirror and lens and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:03
L31	34	I13 and (laser near (drill or drilling)) and mirror and lens and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:05
L32	0	I13 and (laser near (drill or drilling)) and mirror and lens and mask and (lens near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:06
L33	2	I13 and (laser near (drill or drilling)) and mirror and lens and (mask near diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:07

L34	5	I14 and (laser near (drill or drilling)) and mirror and lens and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:06
L35	32	I15 and (laser near (drill or drilling)) and mirror and lens and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:07
L36	1	I35 and (laser near (drill or drilling)) and mirror and lens and mask and (lens near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:07
L37	2	I35 and (laser near (drill or drilling)) and mirror and lens and (mask near diameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:07
L38	8	I16 and (laser near (drill or drilling)) and mirror and lens and mask	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/17 14:07